Hall Ticket Number :	
----------------------	--

## Code: 19A321T

Max. Marks: 70

I B.Tech. II Semester Supplementary Examinations November 2023

# Engineering Graphics – II

(Common to CE & ME)

Time: 3 Hours

**R-19** 

Answer any five full questions by choosing one question from each unit (5x14 = 70 Marks)

# UNIT–I

1. A cone, base 75 mm diameter and axis 80 mm long is resting on its base on the HP. It is cut by a section plane perpendicular to the V.P inclined at 45<sup>o</sup> to the H.P and cutting the axis at a point 35 mm from the apex. Draw its front view, sectional top view, sectional side view and the true shape of the section.

#### OR

 A pentagonal pyramid, base 30 mm side and axis 50 mm long has one of triangular faces in V.P. and the edge of the base contained by that face makes an angle of 30 degrees with the H.P. Draw its projections.

### UNIT–II

3. A cube of side 40 mm is resting on ground on one of its faces. All the vertical faces of the cube are equally inclined to VP. It is cut by a section plane perpendicular to VP and inclined to HP, so that the true shape of the section is a regular hexagon. Draw the projections, sectional top view and true shape of the section.

#### OR

4. A pentagonal pyramid with a 55 mm base and a 90 mm slant height, has its base on the HP with a side of base perpendicular to the VP. It is cut by a section plane whose VT is inclined at 60° to XY and intersecting the axis at 40 mm from its base. Draw the Front View, Sectional Top View, Sectional Side View, and the true shape of the section.

### UNIT–III

5. A triangular prism, having base with a 60 mm side and a 100 mm long axis, is resting on its base on the H.P. with a nearer face parallel to the V.P. It is penetrated by a cylinder with a 50 mm diameter and a 90 mm long axis. The axis of the cylinder is parallel to both the reference planes, and 15 mm away from the axis of the prism towards the observer. Draw the projections of the combination and show the curves of intersection.

### OR

6. A pentagonal prism having a base with 30 mm side and 65 mm long axis, is resting on its base in the H.P. with a rectangular face parallel to the V.P. It is cut by a section plane perpendicular to the V.P., inclined at 30<sup>°</sup> with the H.P., and passing through a point on the axis, 25 mm from one of the bases. Draw the development of its lateral surface.

### UNIT–IV


7. Draw the isometric view of a frustum of the cone with base diameter 60mm and top diameter 40mm with the axis height of 70mm.

#### OR

8. A hexagonal prism with a 30 mm base and 45 mm axis has an axial hole with a 30 mm diameter. Draw its isometric projection.


# UNIT-V

9. Draw isometric view for the following orthographic projection.



OR


10. Draw the front view, top view and side view of the solid object given below:



\*\*\*

Max. Marks: 70 Answer any five to 1. a) State and pro- b) Differentiate I (i) Concurren (ii) Coplanar a 2. A sphere of w	t and non-coplanar forces and and non-coplanar forces 7M OR veight 100 N is tied to a smooth wall by a string as shown in tension T in the string and reaction R of the wall.	)
l B.Tech. l Max. Marks: 70	Engineering Mechanics (Common to CE & ME) Time: 3 Hour full questions by choosing one question from each unit (5x14 = 70 Marks ********* Marks C UNIT-I ove Varignon's theorem. t and non-concurrent forces and and non-coplanar forces OR veight 100 N is tied to a smooth wall by a string as shown in tension T in the string and reaction R of the wall. $\int \int 15^{\circ}$	) D BI 1 <sup>-</sup>
<ol> <li>Answer any five it</li> <li>State and problem</li> <li>Differentiate I</li> <li>(i) Concurren</li> <li>(ii) Coplanar it</li> <li>A sphere of w</li> </ol>	Time: 3 Hour full questions by choosing one question from each unit (5x14 = 70 Marks ********* Marks Cu UNIT-I ove Varignon's theorem. between: t and non-concurrent forces and and non-coplanar forces of OR veight 100 N is tied to a smooth wall by a string as shown in tension T in the string and reaction R of the wall.	) D BI 1 <sup>-</sup>
<ul> <li>b) Differentiate I</li> <li>(i) Concurren</li> <li>(ii) Coplanar</li> <li>2. A sphere of w</li> </ul>	UNIT-I ove Varignon's theorem. 7M between: t and non-concurrent forces and and non-coplanar forces 7M OR veight 100 N is tied to a smooth wall by a string as shown in tension T in the string and reaction R of the wall. $10^{15^{\circ}}$	1
<ul> <li>b) Differentiate I</li> <li>(i) Concurren</li> <li>(ii) Coplanar</li> <li>2. A sphere of w</li> </ul>	by ve Varignon's theorem. 7M between: and non-concurrent forces and and non-coplanar forces 7M OR veight 100 N is tied to a smooth wall by a string as shown in tension T in the string and reaction R of the wall.	
<ul> <li>b) Differentiate I</li> <li>(i) Concurren</li> <li>(ii) Coplanar</li> <li>2. A sphere of w</li> </ul>	between: It and non-concurrent forces and and non-coplanar forces 7M OR veight 100 N is tied to a smooth wall by a string as shown in tension T in the string and reaction R of the wall.	
<ul><li>(i) Concurren</li><li>(ii) Coplanar</li><li>2. A sphere of v</li></ul>	t and non-coplanar forces and and non-coplanar forces 7M OR veight 100 N is tied to a smooth wall by a string as shown in tension T in the string and reaction R of the wall.	1 '
<ul><li>(ii) Coplanar</li><li>2. A sphere of v</li></ul>	and non-coplanar forces 7M OR veight 100 N is tied to a smooth wall by a string as shown in tension T in the string and reaction R of the wall.	1 ·
2. A sphere of v	OR veight 100 N is tied to a smooth wall by a string as shown in tension T in the string and reaction R of the wall.	1 ·
•	veight 100 N is tied to a smooth wall by a string as shown in tension T in the string and reaction R of the wall.	
	14М	1 :
	UNIT–II	
3. a) Find the force	es in the members <i>AB, AC</i> and <i>BC</i> of the truss shown in Fig	
	A A B C	
	◄ 5 m → 14M	2 3
	OR	
4. a) State the law		2 '
<i>,</i> .	ight 100 Newtons is placed on a rough horizontal plane.	
	e co-efficient of friction if a horizontal force of 60 Newtons just ody to slide over the horizontal plane. 7M	2
5. State and pro		3 .
J. State and pro	ove the theorem of parallel axis. 14M	J

6. Find the centre of gravity of the *L*-section shown in Fig.



		14M	3	3
	UNIT–IV			
7.	A particle moves along a straight line so that its displacement is metre from			
	a fixed point is given by, $S=2t^3+4t^2-6t+8$ Find :			
	( <i>i</i> ) velocity at start, ( <i>ii</i> ) velocity after 5 seconds, ( <i>iii</i> ) acceleration at start and	14M	4	3
	( <i>iv</i> ) acceleration after 5 seconds.	1410	4	3
	OR			
8.	A car moving at a constant speed of 60kmph enters a curved path of radius of curvature measuring 100 m. Determine its total acceleration.	14M	4	3
	UNIT–V			
9.	A tangential force of 1800 N is acting on a shaft of diameter 10 mm.			
	Find the work done by the force for one revolution of the shaft.	14M	5	3
	OR			
10.	A uniform homogeneous cylinder rolls without slip along a horizontal level surface with a translational velocity of 20 cm/s. If its weight is 0.1 N and its radius is 10 cm, what is its total kinetic energy?	14M	5	4

	На	II Ticket Number :			
L			R-19	7	
		Le: 19AC23T I B.Tech. II Semester Supplementary Examinations Novemb	per 2023		
		Engineering Physics			
		(Common to CE & ME)		_	
		ax. Marks: 70 swer any five full questions by choosing one question from each unit (5> ********	Time: 3 H <14 = 70 M		
			Marks	СО	BL
		UNIT–I			
1.	,	State Kepler's laws of gravitation	7M	CO1	L2
	b)	Describe Focault's pendulum in detail	7M	CO1	L2
~	- )	OR Define control of more and controls it for a context	714	004	1.4
2.	,	Define centre of mass and explain it for a system Define vector and write basic laws of vectors	7M 7M	CO1 CO1	L1 L1
	b)	Denne vector and write basic laws of vectors	7 101	COT	LI
		UNIT–II			
3.	a)	Mention the factors influence reverberation time	9M	CO2	L2
	b)	What is ultrasonic and write properties	5M	CO2	L1
		OR			
4.	a)	State and explain Sabine's formula	8M	CO2	L2
	b)	Brief the inverse Piezo-electric effect	6M	CO2	L2
~		UNIT-III	014	000	
5.	a) b)	Describe the various types of dielectric polarization How the Ferro magnetics are separated as soft and hard magnets	8M 6M	CO3 CO3	L2
	0)	Now the Ferro magnetics are separated as soft and hard magnets OR	OIVI	003	L 1
6.	a)	Mention applications of dielectrics	4M	CO3	L2
0.	b)	Derive magnetic moment of material through origin of magnetic moment	10M	CO3	L3
	-,		-		-
		UNIT–IV			
7.	a)	Write the application of optical fiber in communication system	8M	CO4	L1
	b)	Discuss the construction and working of He-Ne laser	6M	CO4	L2
		OR			
8.	a)	Brief the working principle of optical fiber in propagation of signal	7M	CO4	L2
	b)	Distinguish spontaneous and stimulated emissions	7M	CO4	L2
		UNIT–V			
9.		Write a detailed note on various types of sensors	14M	CO5	L2
5.		OR	ואודיו	000	ـــ
10.	a)	Describe Piezo electric sensor in brief	8M	CO5	L2
	b)	Mention how pyroelectric sensors are useful	6M	CO5	 L2
	,	***			

Important Note: 1. On completing your answers. Compulsorily draw diagonal cross line on the remaining blank pages. 2. Any revealing of identification, appeal to evaluator and/or equations written eg. 32+8=40, will be treated as malpractice.

_	~		R-19	
C	Coc	I B.Tech. II Semester Supplementary Examinations November Differential Equations and Vector Calculus	2023	
		(Common to All Branches)	<u>.</u>	
		Tim wer any five full questions by choosing one question from each unit (5x14 = *******	ne: 3 H = 70 Ma	
		UNIT–I	Marks	со
1.	a)	Solve $(D^2 + 4)y = \cos x$	7M	CO1
	b)	Solve $(D^2 + 6D + 9)y = e^{-3x}$	7M	CO1
		OR		
2.		Solve $\frac{d^2 y}{dx^2} - 3\frac{dy}{dx} + 2y = xe^{3x} + \sin 2x$	1 4 1 4	CO1
			14M	COT
3.		Solve $x^2 d^2 y$ and $dy + 6x + x^2$		
5.		Solve $x^2 \frac{d^2 y}{dx^2} - 4x \frac{dy}{dx} + 6y = x^2$	14M	CO2
		OR		
4.		Solve $(1+x)^2 \frac{d^2 y}{dx^2} + (1+x)\frac{dy}{dx} + y = 2\sin[\log(1+x)]$	4 4 5 4	<u> </u>
			14M	CO2
5.	a)	Form the partial differential equations by eliminating arbitrary functions from		
		$f(x^2+y^2,z-xy)=0$	7M	CO3
	b)	Form the partial differential equation by eliminating arbitrary constants a and b		
		from $z = a \log \left\{ \frac{b(y-1)}{1-x} \right\}$		
		( 1-x ) OR	7M	CO3
6.	a)	Form the partial differential equation by eliminating arbitrary function from		
	,	$z = f(x^2 + y^2)$	7M	CO3
	b)	Solve $pyz + qzx = xy$	7M	CO3
-	-)			
	a)	Find $div \bar{f}$ where $\bar{f} = grad(x^3 + y^3 + z^3 - 3xyz)$	7M	CO4
	b)	Find grad f where $f = x^3 + y^3 + 3xyz$	7M	CO4
8.		<b>OR</b> Prove that $u^n \overline{u}$ is solve oidalif $u = -2$		
0.		Prove that $r^n \overline{r}$ is solenoidal if $n = -3$ .	14M	CO4
9.		Verify stokes theorem for the function $\overline{F} = x^2 \overline{i} + xy \overline{j}$ integrated around the		
		square in the plane $z=0$ whose sides are along the lines $x=0,y=0,x=a,y=a$ .	14M	CO5
		OR		
0.		Using Green's theorem evaluate $\oint (2xy - x^2)dx + (x^2 + y^2)dy$ , where C is the		
		C		

Important Note: 1. On completing your answers. Compulsorily draw diagonal cross line on the remaining blank pages.